Department of Health Services Toxic Substances Control Division Sacramento, California

int or type a Form designed for use on elite (12-pitch typewriter).			T					
UNIFORM HAZARDOUS 1. Generator's US EPA ID WASTE MANIFEST		Manifest Document No.				ne shaded areas by Federal law.		
3. Generator's Name and Mailing Address	y 1 0 0 0 5		A. Sta	te Manifest Docum	nent Num	ber		
Douglas Aircraft Company Attn: R. 1		6-1 0			903	37896 0		
19503 S. Normandie Avenue, Torrance,	='		B. Sta	te Generator's ID				
Generator's Phone (213 533 7926 Or 213 533 7926 Or 213 6.	231	nhor	C 8/2	te Transporter's II	\$ 0 0	8 6 9 3		
2" 1	1 1 1 1 1 1			naporter's Phone	र्ज्य र	9 7723 —		
Transporter 2 company Name 8:	D OS EPA ID Nur	5 13 17 17 19	E. State Transporter's ID 324-2445					
1.1	1 1 1 1 1 1	1 1 1 1	F. Tra	nsporter's Phone				
Designated Facility Name and Site Address 10.	US EPA ID Nur	mber	G. Sta	te Facility's ID				
Norris Industries				/// 7 7 7 Illity's Phone	103	<u> </u>		
5215 S. Boyle Avenue			H. Fac	ility's Phone				
Los Angeles, CA 90058	10 0 9 7 0 S	3 0 9 9 3 Cont	213	-588+7111	T 44			
1. US DOT Description (Including Proper Shipping Name, Hazard Class	s, and ID Number)	No.	Type	Quantity	14. Unit	l. Waste No.		
	· · · · · · · · · · · · · · · · · · ·	140.	Type		Wt/Vol	State		
RQ, Waste, Cyanide Solution						E74 Sther		
Poison B, UN1935 (Cyanide)		وا ما م	- -	040102				
		0.0.1	11	\$ 13 00	G	s E007		
						EPA/Other		
			┸		-	State		
•		į						
				1 1 1 1		EPA/Other		
			'			State		
	1.					EPA/Other		
. Additional Descriptions for Materials Listed Above		. .	R. He	ndling Codes for V	vastes L b.	Sted ADOVe		
a) Waste Cyanide solution from Bldg 2 Cyanide 0-5% Copper 0-1%	2 Patio Iani	K		15				
Water 95-100% Cadmium 0-1%			C.		d.			
		·	ł	*5		•		
5. Special Handling Instructions and Additional Information			<u> </u>					
In case of accident contact Chemtrec								
wash into sewer or waterway. If unab	e to delive	er, retur	n to	generator	. Vol	ume is		
approximate. DOT Emergency Response (iu1de # 55.	the rea	mit	· # 4-9	<u> </u>	1602		
6.								
GENERATOR'S CERTIFICATION: I hereby declare that the conte and are classified, packed, marked, and labeled, and are in all res								
national government regulations.		valvena and kaviaik		to appareted to th		I have determined		
If I am a large quantity generator, I certify that I have a program in to be economically practicable and that I have selected the practic	able method of treat	ment, storage, or	disposal	currently available	e to me v	hich minimizes the		
present and future threat to human health and the environment; OR generation and select the best waste management method that is a			ave mad	e a good faith end	ort to mir	ilmize my waste		
rinted/Typed Name	Signature		· · · · · · · · · · · · · · · · · · ·			Month Day Yes		
MANUEL PRODUCE FOR MOC	ar and	1 1.00		e Harty		10141014191		
7. Transporter 1 Acknowledgement of Receipt of Materials								
Printed/Typed Name	Signature					Month Day Yea		
9. Transporter 2 Telepowind and Propint of Materials	1	Low live	(, , ,	<u> </u>		رائوالبط وبالبعلوك		
8. Transporter 2"Acknowledgement of Receipt of Materials Printed/Typed Name	Signature					Month Day Yea		
mico. Typod maino	Ciginatui C					1 1 1		
9. Discrepancy Indication Space	L.							
•								
Facility Owner or Operator Certification of receipt of hazardous ma								
Printed/Typed Name BI Till VALAGES	Signature	1 1	, -	Helan		Month Day Yea		
211 7111 1140 106 8 3	1	11.00		11150		- 1 / V/ / 1 / 1.PF 1 MF 1		

DHS 8022 A

FACILITY

TRANSPORTER

IN CASE OF AN EMERGENCY OR SPILL, CALL THE NATIONAL P

90378960 JNSE CENTER 1-800-424-8802; WITHIN CALIFORNIA CALL 1-800-852-7550

Do Not Write Below This Line

EPA 8700—22 (Rev. 6-89) Previous editions are obsolete.

See Instructions on Back of Page 6 and Front of Page 7

Department of Health Services
Toxic Substances Control Division
Sacramento, California

ease p	unit or type. Form designed for use on elite (12-pitch typewriter). UNIFORM HAZARDOUS WASTE MANIFEST 1. Generator's US EPA ID N		Anifest sument No.	į.	age 1			sacramento, California ne shaded areas by Federal law.		
	3. Generator's Name and Mailing Address		1_1_1_	,						
	. puples Aircraft Company Attn: R. Tuall M/S C5-10 19503 S. Jorgandie Avenue, Torrance, CA 90502					A. State Manifest Document Number 90378960 B. State Generator's ID				
	4. Generator's Phone (213) 533-7928 or 213-333-72			1 14	ALULA	1 11 6	i nin	<u> </u>		
	5. Transporter 1 Company Name 6.	US EPA ID Number		C. Sta	te Transpo	rter's IC)	is the second of		
	Sucific Suvironmental Boot. CAD	D. Trac	nsporter's	Phone 2	13-3	24-2445				
j	7. Transporter 2 Company Name 8.	US EPA ID Number		E. Stat	te Transpo	rter's IC				
	1.1.1.	F. Transporter's Phone								
9. Designated Facility Name and Site Address 10. US EPA ID Number G. State Facility's ID										
	ULID S. Boyle Avenue Los Angeles, CA 90050 Final	H. Facility's Phone								
	11. US DOT Description (Including Proper Shipping Name, Hazard Class,		12. Con		13. To		14. Unit Wt/Vol	I. Waste No.		
	a. or comment of the first of the second of		No.	Туре			W17 V OI	State		
	* RO, Waste, Cyanide Solution		ŀ					711 EPA/Other		
	Poison 3, UH1935 (Cyanide)	•.	h h h	+ hr	1.1	1 1	,			
	b.	-	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	 			 	State 7		
								EPA/Other		
				<u> </u>		$\perp \perp$	<u> </u>			
	c.							State		
			1	,	1 1	1 1		EPA/Other		
	d.							State		
			1	١. ا			i	EPA/Other		
	Water 95-100% Cadmium 0-1% Acceptance # E-1062CN1 15. Special Handling Instructions and Additional Information In case of accident contact Chemtrec at 500-424-9360. Do not breathe vapors, 10 101, wash into sever or waterway. If unable to deliver, return to generator. Volume in									
	approximate. 001 Emergency Response Gu	1de 4 55. T	* T	. Re		y ·	¥	W. c.		
	GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.									
	Printed/Typed Name	Signature						Month Day Year		
,		, Signatule						1 1 1 1 1		
\dashv	17. Transporter 1 Acknowledgement of Receipt of Materials	<u> </u>								
	Printed/Typed Name	Signature						Month Day Year		
		-								
	18. Transporter 2 Acknowledgement of Receipt of Materials	1								
	Printed/Typed Name	Signature						Month Day Year		
								1111		
	19. Discrepancy Indication Space									
-	20. Facility Owner or Operator Certification of receipt of hazardous mater		nifest exce	ot as note	ed in Item 1	19.				
	Printed/Typed Name	Signature						Month Day Year		

DHS 8022 A

EPA 8700—22 (Rev. 6-89) Previous editions are obsolete. Do Not Write Below This Line



DRIVE	RS REPORT						
	!						
	; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ;						
ATE	DEPART TERM.	ARRIVE JOB	DEPART JOB	TSDF	LUNCH/DOWN	STOP TIME	TOTAL TIM
	. А	Α Α	Α	IN 		Α	
	P	Р	Р	ОИТ	1	Ρĺ	



Certification of restricted wasto meeting treatment standards

I hereby certify to U.S. Pollutan Central, inc. (USPCI) that the hexardous waste identified in this certification meets the applicable treatment standards set forth in 40 CPR 266 Subpart D, and the applicable prohibition lovels set forth in 5cc. 265.52 or in RCPA Section 3004(d). For wester with treatment standards expressed as concentrations in the wester entract (Bulescotten 265.41), the owner or operator of the treatment facility must test the treatment residues according to the wester analysis plan using the Taskity Characteristics Learning Procedure (TCLP) described in Appendix 8 of 40 CPP Part 261 to assure that the treatment residue extrest meets the applicable treatment standards found in Table COWE. For waster with treatment standards appealed in Table CCW of Sec. 266.48.

-		
	peptanes Number:	_
Market 1	United Additional Treat Production	=
	t: THE SECTION MUST SE COMPLETED. This certification-Describe the knowledge upon which the certification is made and attach the most recent analytical date	
		-
		-
		-
	TIALS IN SLOCK FOR APPROPRIATE CHITIPICATION	-
'`·	I confly under pensity of law that I personally have exemined and am familiar with the waste through analysis and testing or through inswindings of the waste to support this conflication that the waste complies with the treatment standards appealized in 40 OFR Part 356 Subpart D and all applicable prohibitions extinct in 40 OFR 286.32 or POPA Section 3004(8), I built-ye that the information I submitted in true, accurate and complies, I am aware that there are significant penalties for submitting a false conflication, including the possibility of a time and imprisonment.	
2.	. PERFORMANCE STANDARDS (48 CFR 108.7(1)(1)(9) I confly under penalty of law that I have personally examined and am familiar with the treatment technology and operation	
	of the treatment process used to support this confibration and that, based on my inquiry of these individuals immediately responsible for obtaining this information, I believe that the treatment process has been operated and maintelned properly so no to comply with the performance levels operated in 40 CFR Part 200 Subport 0 and all applicable prohibitions extend in 40 CFR 200.00 or FROM Sec. 2004(d) without impermissible divides of the prohibited waste. I am surgrethes there are algorithms penaltics for extending a later confidency, including the penaltitly of the and impresentation.	
\$.	TRONOSSECTO STANSAARDS (so CFR 200.79)(23) I confly under popular of him that the weste has been begain accordance with the requirements of 40 CFR 200.48. I can assert that there are eignificent population for submitting a false conflication, impinifing the population and the	
	ingricentials.	1
	CONCENTRATICAL-BASSED CERTIFICATION FOR EXCENDING TORYUM, SUBSTITUTOR RESIDUES (586.75)(M). I sersly under penety of kim that I have personally examined and am handler titch the technology and Spenator of the	
£	treesment process used to support this continuous and that, based on my legally of these individuals immediately responsible for obtaining this information, I believe that the nonventorator organic constituents have been treated by incineration in units operated in assertance with 40 CFR part 204, subport O or 40 CFR part 205, or by	
	incherolise in units operated in assertiones with 40 CFR part 204, subpart O er 40 CFR part 205, subpart O, or by	
	combination in fuel substitution units operating in assertance with applicable tectulad requirements, and all have been unable to detect the necessity test constituents despite having used best good fulfit efforts to analyses for such	- 1
	constituents. I am assers that there are eignificent penalties for submitting a false eartification, including the possibility of fine and imprisonment.	
Are these	To any constituente which do not most applicable land (basee) restriction treatment clandords?	
☐ Noe	and extrements a new and the tract chimbers will distribute the service desirable service and	
	tense But the constituents which require further treatments	
Weste Cod		1
		1
		4
		1
		4
XI Rol	hert G Tuell Tr. S. Part Finer x 2213 533-70	1 1 1 2 1 2 1 2 1
A Ro	bert G. Tuell, Jr. Sr. Plant Engr. x (213) 533-79	1 24
X Roll	bert G. Tuell, Jr. xSr. Plant Engr. x(213)533-79 left & Juell, A. x. 04-26-91	